

INDEX

- Abel, 489
- abelian group, 118
 - direct sum for, 137, 138
 - finitely generated, 174
 - free, 174
 - tensor product for, 569
- absolute value, 594
- addition in abelian group, 118
- addition in ring, 140
- addition in vector space, 34
- addition of cardinal numbers, 602
- addition of matrices, 25
- additive extension, 565
- additive functor, 576
- additive in a variable, 565
- adjoin, 450
- adjoint, 99, 100
 - classical, 72
- algebra, 277
 - alternative, 301
 - associative, 277, 369
 - associative R , 377
 - Clifford, 299
 - division, 370
 - exterior, 288
 - filtered associative, 298
 - graded associative, 298
 - group, 377, 441
 - Heisenberg Lie, 299
 - Jordan, 300
 - Lie, 278, 298
 - polynomial, 286
 - symmetric, 281
 - tensor, 279
 - tensor product for, 573
 - universal enveloping, 298
 - Weyl, 299
- algebraic closure, 461
 - existence, 461
 - uniqueness, 461
- algebraic curve, 408
- algebraic element, 450
- algebraic extension, 452
 - finite, 452
 - simple, 453
- algebraic integer, 339, 408, 417, 510
- algebraic number, 122, 384, 453, 460, 510
- algebraic number field, 122, 370, 384, 453
- algebraically closed, 460
- algebraically closed field, 210
- alternating, 67
- alternating bilinear form, 250
- alternating group, 120, 170
- alternating matrix, 254
- alternative algebra, 301
- annihilator, 52
- antisymmetrized tensor, 291
- antisymmetrizer, 291
- ascending chain condition, 414, 556
- associate, 390
- associated graded map, 297
- associated graded vector space, 297
- associated primitive polynomial, 393
- associative algebra, 277, 369
 - filtered, 298
 - graded, 298
 - tensor product for, 573
- associative law, 25, 34, 82, 117, 140
- associative R algebra, 377
- associativity formula, 571, 572
- associator, 301
- automorphism, 449
 - of group, 166
 - inner, 199
 - of number field, 123
- Axiom of Choice, 587
- Baer multiplication, 352, 358

- basis, 36, 174
 - dual, 51
 - free, 309
 - standard, 36
 - standard ordered, 48
 - Weyl, 293
- BCH code, 543
- Bessel's inequality, 93
- bilinear, 89
- bilinear form, 246
 - alternating, 250
 - invariant, 257
 - nondegenerate, 248
 - skew-symmetric, 250
 - symmetric, 250
- bilinear function, 260, 565
- bilinear map, 260
- bilinear mapping, 260
- bimodule, 564
- block, 230
- Bolzano–Weierstrass Theorem, 593
- boundary map, 574
- Burnside's Theorem, 342

- cancellation law, 117
- canonical form, 210
 - Jordan, 229, 406
 - rational, 243, 443, 444
 - of rectangular matrix, 239
- canonical-form problem, 212
- canonical map into double dual, 54
- Cantor, 602
- Cardan's formula, 488, 505, 508
- Cardano, 488
- cardinal number, 600
- cardinality, 599
- Cartan matrix, 86
- Cartesian product, 585
 - indexed, 587
- category, 53, 134, 188
 - opposite, 190, 208
- Cayley number, 301
- Cayley's Theorem, 124
- Cayley–Dickson construction, 301
- Cayley–Hamilton Theorem, 219
- center, 369, 377, 545
 - of group, 163
- centralizer of element, 164

- chain, 574, 595
- chain condition
 - ascending, 414, 556
 - descending, 556
- change of rings, 564, 569
- character, 336
 - multiplicative, 326
- characteristic of a field, 147
- characteristic polynomial, 73, 216
- characteristic subgroup, 357
- check matrix, 542
- Chinese Remainder Theorem, 6, 402
- class, 584, 585
 - equivalence, 590
- class equation of group, 185–186
- class function, 337
- classical adjoint, 72
- Clifford algebra, 299
- closed, 574
- closed form, 575
- coboundary, 353
- coboundary map, 353
- cochain, 353
- cocycle, 353
- code, 205
 - BCH, 543
 - cyclic, 542
 - cyclic redundancy, 207
 - dual, 360
 - error-correcting, 204, 360, 541
 - Hamming, 206
 - linear, 205
 - parity-check, 205
 - repetition, 205
 - self-dual linear, 360
- coefficient, 9, 148
 - Fourier, 327, 359
 - leading, 149
 - matrix, 333
- cofactor, 70, 215
- cohomology group, 353
- cohomology of groups, 352, 575
- collection, 585
- column space, 38
- column vector, 25
 - in an ordered basis, 45
- common multiple, 32
- commutative diagram, 193

- commutative law, 25, 34, 82, 118
- commutative ring, 140
- commutator, 357
- commutator subgroup, 310
- complement, 585
- completely reducible, 546
- complex, 574, 576
- complex conjugate of vector space, 114
- complex conjugation, 594
- complex number, 594
- complexification, 271
- composition, 588
- composition factor, 172, 552
- composition series, 171, 551
- congruent modulo, 119
- conjugacy class, 164
- conjugate, 164
- conjugate linear, 89
- conjugates of an element, 518
- conjugation, complex, 594
- consecutive quotient, 171, 551
- constant polynomial, 10, 149, 154
- constructible coordinates, 465
 - field of, 466
- constructible regular polygon, 468, 483, 493
- contraction of ideal, 428
- contragredient, 53
 - matrix of, 53
- contragredient representation, 362
- contravariant functor, 192
- convolution, 336, 369, 378
- coproduct functor, 198, 373, 580
 - in a category, 196
- corner variable, 21
- correspondence, one-one, 588
- coset, 128
- countable, xviii
- counting formula, 163
- covariant functor, 191
- Cramer's rule, 24, 72, 215
- CRC-8, 207
- crossed homomorphism, 354
- cubic polynomial, 537
- cubic resolvent, 540
- cut, 592
- cycle, 15
- cycle structure, 165
- cycles, disjoint, 16
- cyclic code, 542
- cyclic group, 124
- cyclic R module, 398
- cyclic redundancy code, 207
- cyclic subspace, 241
- cyclic vector, 242
- cyclotomic field, 485, 495
- cyclotomic polynomial, 396, 484, 535
- dal Ferro, 488
- de Rham cohomology, 575
- decomposition group, 529
- Dedekind domain, 413, 434, 446, 520
- degree, 10, 149, 154, 452
- dependent, integrally, 417
- derivative of polynomial, 457
- descend to, 57, 132, 146, 375
- descending chain condition, 556
- determinant, 65, 213
 - Gram, 113
 - of linear map, 66
 - of matrix, 66
 - properties of, 68, 214
 - of square matrix, 67
 - Vandermonde, 71, 215
- diagonal entry, 24, 178, 443
- diagonal matrix, 24, 443
- diagram, 193
 - commutative, 193
 - square, 193
- difference, 585
- difference product, 506
- differential equations, system, 244
- differential form, 575
- differentiation, 457
- dihedral group, 120, 168, 313
- dimension, 555
 - of vector space, 37, 78
- direct image, 588
- direct product
 - of groups, 125, 126, 135, 136
 - of R modules, 373
 - of rings, 371
 - of vector spaces, 62, 63
- direct sum
 - of abelian groups, 137, 138
 - of R modules, 373
 - of vector spaces, 59, 60, 61, 62, 64

- Dirichlet's theorem on primes in arithmetic progressions, 327, 364
- discriminant, 506, 527, 528
- disjoint cycles, 16
- disjoint union, 197
- distributive law, 26, 34, 140
- divide, 1, 10, 385, 435
- division algebra, 370
- division algorithm, 2, 11
- division ring, 143, 370
- divisor, 1
 - elementary, 177, 443
 - greatest common, 2, 8, 12, 390
 - zero, 143
- Dixmier, 550
- domain, 586
 - Dedekind, 413, 434, 446, 520
 - Euclidean, 389, 441, 442
 - integral, 143
 - principal ideal, 387, 439
 - unique factorization, 386
- dot product, 89
- double a cube, 465, 467
- double dual, 54
- dual
 - double, 54
 - of vector space, 50
- dual basis, 51
- dual code, 360
- dual space, 50
- duality in category theory, 208

- eigenspace of linear function, 76
- eigenspace of matrix, 73
- eigenvalue of linear function, 76
- eigenvalue of matrix, 73
- eigenvector of linear function, 76
- eigenvector of matrix, 73
- Eisenstein's irreducibility criterion, 395
- element, 583, 584
- elementary divisor, 177, 443
- elementary matrix, 28
- elementary row operation, 20
- elementary symmetric polynomial, 445
- entity, 583
- entry, 20, 24
 - diagonal, 24, 178, 443
- enveloping algebra, universal, 298

- equality of matrices, 24
- equation, linear, 23
- equivalence class, 590
- equivalence relation, 589
- equivalent factor set, 349
- equivalent finite filtrations, 552
- equivalent group extensions, 349
- equivalent normal series, 172
- equivalent words, 304
- equivariant mapping, 189
- error-correcting code, 204, 360, 541
- Euclidean algorithm, 2, 13
- Euclidean domain, 389, 441, 442
- Euler φ function, 7
- evaluate, 10
- evaluation, 150, 156
- even permutation, 120
- exact, 575
- exact form, 575
- exact sequence, 575, 576
 - short, 576
 - split, 579
- expansion
 - in cofactors, 70, 215
 - homogeneous-polynomial, 154
 - monomial, 154
- expressible in terms of \mathbb{k} and radicals, 490
- extension
 - additive, 565
 - algebraic, 452
 - field, 449
 - finite, 452
 - finite algebraic, 452
 - finite Galois, 479
 - group, 345
 - of ideal, 428
 - linear, 44, 261
 - normal, 476
 - of scalars, 272, 564, 569
 - separable, 472
 - simple algebraic, 453
- exterior algebra, 288
- external direct product
 - of groups, 125, 135
 - of R modules, 373
- external direct sum
 - of abelian groups, 137
 - of R modules, 373

- of vector spaces, 59, 61
- external semidirect product of groups, 167
- factor, 1, 10, 135, 385, 435
- factor group, 131
- factor ring, 145
- factor set, 345
- Factor Theorem, 11
- factor through, 57, 132, 146, 375
- factorization, 1, 10
 - nontrivial, 2, 10
 - prime, 5
 - unique, 5, 14
- family, 585
- fast Fourier transform, 327, 361
- Fermat number, 468
- Fermat prime, 468
- Fermat's Little Theorem, 141
- Ferrari, 488
- field, 141
 - algebraically closed, 210, 460
 - characteristic of, 147
 - of constructible coordinates, 466
 - cyclotomic, 485, 495
 - extension, 449
 - finite, 142, 152, 158, 370, 457, 483
 - fixed, 469
 - of fractions, 380, 591
 - Galois, 457
 - number, 122, 142, 370, 384, 453
 - obtained by adjoining, 450
 - prime, 147
 - quadratic number, 418, 538
 - splitting, 454
- field isomorphism, 449
- field map, 449
- field mapping, 449
- field polynomial, 514
- filtered associative algebra, 298
- filtered vector space, 297
- filtration finite, 551
- finite algebraic extension, 452
- finite basis condition, 414, 556
- finite extension, 452
- finite field, 142, 152, 158, 370, 457, 483
- finite filtration, 551
- finite Galois extension, 479
- finite length, 554
- finite linear combination, 35
- finite order, 129
- finite rank, 176
- finite rank of free R module, 398
- finite support, 378
- finite-dimensional vector space, 37
- finitely generated abelian group, 174
 - fundamental theorem for, 177
- finitely generated group, 312
- finitely generated R module, 397
- finitely presented group, 312
- First Isomorphism Theorem, 57, 132, 376
- Fitting's Lemma, 579
- fixed field, 469
- forgetful functor, 191
- form, 260
 - bilinear, *see* bilinear form
 - Hermitian, 255
 - sesquilinear, *see* sesquilinear form
 - skew-Hermitian, 255
- Fourier coefficient, 327, 359
- Fourier inversion formula
 - for class functions, 338
 - for finite abelian group, 327
 - for finite group, 335
- Fourier inversion problem, 327
- Fourier series, 327
- fractional ideal, 446
 - unique factorization of, 447
- fractions
 - field of, 380, 591
 - partial, 441
- free abelian group, 174
- free basis, 309
- free group, 305
 - rank, 311
- free product, 197, 320
- free R module, 374
- free subset, 309
- Frobenius map, 458
- function, 585
 - bilinear, 260
 - class, 337
 - k -linear, 260
 - k -multilinear, 260
 - linear, 42, 44
 - multilinear, 260
 - polynomial, 152, 157

- functional
 - linear, 50
 - multilinear, 66
- functor, 53, 134
 - additive, 576
 - contravariant, 192
 - coproduct, 198, 373, 580
 - covariant, 191
 - forgetful, 191
 - product, 196, 373
- Fundamental Theorem
 - of Algebra, 14, 460, 486
 - of Arithmetic, 5
 - of Finitely Generated Abelian Groups, 177
 - of Finitely Generated Modules, 399
 - of Galois Theory, 342, 479
- Galois, 489
- Galois extension, finite, 479
- Galois field, 457
- Galois group, 469
- Galois theory, 122, 479
- Gauss, 468, 483, 495
- Gauss's Lemma, 392
- Gaussian integer, 389, 442
- general linear group, 121
- generated by, 124
- generated submodule, 374–375
- generating polynomial, 207, 542
- generator, 124, 174, 397
 - monic, 242
- generators, 311
- graded associative algebra, 298
- graded vector space, 297
- Gram determinant, 113
- Gram matrix, 113
- Gram–Schmidt orthogonalization process, 94
- greatest common divisor, 2, 8, 12, 390
- greatest lower bound, 593
- group, 117
 - abelian, 118
 - alternating, 120, 170
 - automorphism of, 166
 - center of, 163
 - cohomology, 353
 - cyclic, 124
 - decomposition, 529
 - dihedral, 120, 168, 313
 - direct product for, 125, 126, 135, 136
 - finitely generated, 312
 - finitely presented, 312
 - free, 305
 - free abelian, 174
 - free product for, 320
 - Galois, 469
 - general linear, 121
 - homomorphism of, 130
 - icosahedral, 365
 - octahedral, 365
 - order of, 128
 - orthogonal, 121
 - quaternion, 127
 - quotient of, 131
 - rotation, 121
 - semidirect product for, 167, 168
 - simple, 170
 - solvable, 488
 - special linear, 121
 - special unitary, 121
 - symmetric, 120
 - tetrahedral, 365
 - trivial, 117
 - unitary, 121
 - of units, 142
- group action, 123, 158
 - transitive, 162
 - trivial, 160
- group algebra, 377, 441
- group extension, 345
- group ring, integral, 370
- Hamming code, 206
- Hamming distance, 204–205
- Hamming space, 204
- harmonic analysis, 501
- harmonic polynomial, 115
- Heisenberg Lie algebra, 299
- heptadecagon, 498
- Hermite, 510
- Hermitian, 100
- Hermitian form, 255
- Hermitian matrix, 256
- Hermitian sesquilinear form, 255
- Hermitian symmetric, 89
- Hilbert Basis Theorem, 413, 415
- Hilbert–Schmidt norm, 111

- homogeneous element, 278
- homogeneous ideal, 281
- homogeneous polynomial, 115, 154
- homogeneous system, 23
- homogeneous-polynomial expansion, 154
- homomorphism
 - crossed, 354
 - of groups, 130
 - of R modules, 372
 - of rings, 143
 - substitution, 150, 155
- icosahedral group, 365
- ideal, 144
 - contraction of, 428
 - extension of, 428
 - fractional, 446
 - left, 375
 - maximal, 382
 - prime, 381
 - principal, 387
 - right, 375
 - two-sided, 144
 - unique factorization of, 435
- identity element, 117
- identity in a ring, 141
- identity matrix, 27
- identity morphism, 189
- image, 586
 - direct, 588
 - of homomorphism, 130
 - inverse, 589
- imaginary part, 594
- independent variable, 21
- indeterminate, 9, 148, 153
- index of subgroup, 163
- indexed Cartesian product, 587
- indexed intersection, 587
- indexed union, 587
- infimum, 593
- infinite order, 129
- infinite-dimensional vector space, 78
- inhomogeneous system, 23
- injection, 59, 62
- inner automorphism, 199
- inner product, 89
- inner-product space, 89
- integer
 - algebraic, 339, 408, 417, 510
 - Gaussian, 389, 442
- integers modulo, 119
- integral, 417
- integral closure, 413, 418
- integral domain, 143
- integral group ring, 370
- integrally closed, 422
- integrally dependent, 417
- Intermediate Value Theorem, 593
- internal direct product
 - of groups, 126, 136
 - of R modules, 373
 - of vector spaces, 63
- internal direct sum
 - of abelian groups, 139
 - of R modules, 374
 - of vector spaces, 60, 61, 64
- internal semidirect product of groups, 168
- intersection, 585
 - indexed, 587
- intertwining operator, 330
- invariant
 - of group action, 354
 - leave a bilinear form, 257
- invariant subspace, 73, 330
- invariant vector subspace, 216
- inverse, 190
 - multiplicative, 142
- inverse element, 117
- inverse function, 588
- inverse image, 589
- inverse matrix, 27
- invertible matrix, 27
- involution, 240
- irreducible element, 385
- irreducible left R module, 546
- irreducible representation, 330
- isometry, 158
- isomorphic, 48, 118, 143, 191, 349, 375
- isomorphism, 48, 118, 143, 190, 375, 449
 - natural, 265
- isotropic subspace, 293
- isotropy subgroup, 162
- isotypic submodule, 580
- Iwasawa decomposition, 112
- Jacobi identity, 298

- Jordan algebra, 300
- Jordan block, 229, 406
- Jordan canonical form, 229, 406
- Jordan form, 229
- Jordan normal form, 229
- Jordan–Hölder Theorem, 174, 553

- \mathbb{k} isomorphism, 449
- k -linear, 66
- k -linear function, 260
- k -linear map, 260
- k -linear mapping, 260
- k -multilinear function, 260
- k -multilinear map, 260
- k -multilinear mapping, 260
- kernel
 - of homomorphism, 130
 - of linear map, 46
- Kronecker delta, xviii, 27
- Kronecker product, 294

- Lagrange resolvents, 501
- Lagrange’s Theorem, 129
- law of composition, 188
- law of cosines, 90
- law of quadratic reciprocity, 494, 539
- leading coefficient, 149
- leading term, 149
- least common multiple, 32
- least upper bound, 593, 596
- leave a bilinear form invariant, 257
- left coset, 128
- left ideal, 375
- left R module, 371
- left radical, 247
- left regular representation, 329, 335, 362
- left vector space, 547
- left-coset space, 129
- Legendre polynomial, 113
- length of module, 554
- length of word, 304
- letter, 120
- Lie algebra, 278, 298
 - Heisenberg, 299
- Lie bracket, 298
- Lindemann, 510
- linear, 42, 44
- linear code, 205
 - self-dual, 360
- linear combination, 35
- linear equation, 23
- linear extension, 44, 261
- linear fractional transformation, 159
- linear function, *see* linear map
- linear functional, 50
- linear map, 42, 44
 - determinant of, 66
 - eigenspace of, 76
 - eigenvalue of, 76
 - eigenvector of, 76
 - kernel of, 46
 - normal, 109
 - orthogonal, 102
 - positive definite, 106
 - positive semidefinite, 106
 - unitary, 102
- linear mapping, *see* linear map
- linear operator, 42
- linear transformation, *see* linear map
- linearly independent set, 36, 174
- local ring, 430
- localization, 413
 - of R at the prime P , 427
 - of R with respect to S , 425
- lower bound, 593

- MacWilliams identity, 361
- map, 586
 - bilinear, 260
 - coboundary, 353
 - field, 449
 - k -linear, 260
 - k -multilinear, 260
 - linear, 42, 44
 - multilinear, 260
- mapping, *see* map
- matrix, 24
 - addition for, 25
 - alternating, 254
 - Cartan, 86
 - check, 542
 - coefficient, 333
 - column space of, 38
 - determinant of, 66, 67
 - diagonal, 24, 443
 - eigenspace of, 73

- eigenvalue of, 73
- eigenvector of, 73
- elementary, 28
- equality for, 24
- Gram, 113
- Hermitian, 256
- identity, 27
- inverse, 27
- invertible, 27
- of a linear map in an ordered basis, 45
- multiplication for, 26
- nilpotent, 230
- nonsingular, 215
- null space of, 38
- orthogonal, 102
- positive definite, 106
- positive semidefinite, 106
- rank of, 41
- row space of, 38
- scalar multiplication for, 25
- singular, 215
- skew-symmetric, 254
- square, 24
- symmetric, 250
- symplectic, 446
- trace of, 74
- transpose of, 41
- unitary, 102
- Vandermonde, 71, 215
- zero, 25
- matrix representation, 329
- matrix ring, 368
- maximal element, 595
- maximal ideal, 382
- maximum condition, 414, 556
- member, 585
- minimal distance, 205
- minimal polynomial, 219, 221, 451
- minimum condition, 556
- module
 - cyclic, 398
 - direct product for, 373
 - direct sum for, 373
 - of finite rank, 398
 - finitely generated, 397
 - free R , 374
 - homomorphism of, 372
 - irreducible, 546
 - left R , 371
 - quotient, 375
 - rank of, 399
 - right R , 372
 - semisimple, 546
 - simple, 546
 - tensor product for, 565
- modulo, 119
- monic generator, 242
- monic polynomial, 149
- monomial, 154
- monomial expansion, 154
- morphism, 188
 - identity, 189
- multilinear form, symmetric, 280
- multilinear function, 260
- multilinear functional, 66
- multilinear map, 260
- multilinear mapping, 260
- multiple, 1, 10
 - least common, 32
- multiplication
 - in an algebra, 277
 - Baer, 352, 358
 - in a group, 117
 - of matrices, 26
 - in a ring, 140
- multiplicative character, 326
- multiplicative inverse, 142
- multiplicative system, 425
- multiplicity of a root, 14
- n -fold tensor product, 277
- Nakayama's Lemma, 432
- natural isomorphism, 265
- natural transformation, 265
- negative, xviii, 118
- nicely normed, 302
- Nielsen–Schreier Theorem, 315
- nilpotent element, 440
- nilpotent matrix, 230
- Noetherian ring, 415
- nondegenerate bilinear form, 248
- nonsingular matrix, 215
- nontrivial factorization, 2, 10
- norm, 90, 514, 539
 - Hilbert–Schmidt, 111
- normal extension, 476

- normal linear map, 109
- normal series
 - equivalent, 172
 - of groups, 171
- normal subgroup, 130
- normalizer of subgroup, 186
- null space, 38
- Nullstellensatz, 409
- number
 - algebraic, 122, 384, 453, 460, 510
 - complex, 594
 - rational, 591
 - real, 592
- number field, 122, 142, 370, 384, 453
 - automorphism of, 123
 - quadratic, 418, 538
- object, 188
- octahedral group, 365
- octonion, 301
- odd permutation, 120
- one-one, 588
- onto, 588
- operation, elementary row, 20
- operator
 - intertwining, 330
 - linear, 42
 - projection, 224
- opposite category, 190, 208
- opposite ring, 546
- orbit, 162
- order
 - finite, 129
 - of group, 128
 - infinite, 129
- ordered pair, 585
- ordering
 - partial, 595
 - simple, 283, 595
 - total, 595
 - well, 595
- ordinary differential equations, system, 244
- orthogonal complement, 96
- orthogonal group, 121, 259
- orthogonal linear map, 102
- orthogonal matrix, 102
- orthogonal projection, 96
- orthogonal set, 92
- orthogonal vectors, 92
- orthonormal basis, 92
- orthonormal set, 92
- pair
 - ordered, 585
 - unordered, 585
- parallelogram law, 90
- parity-check code, 205
- Parseval's equality, 97
- partial fractions, 441
- partial ordering, 595
- pentagon, 496
- period of cyclotomic field, 495
- permanence of identities, 213
- permutation, 15, 120
 - even, 120
 - odd, 120
- Pfaffian, 296, 445
- Plancherel formula, 335
- Poincaré–Birkhoff–Witt Theorem, 298
- point, 585
- Poisson summation formula, 359
- polar decomposition, 110
- polarization, 91
- polynomial, 9, 148, 153
 - associated primitive, 393
 - characteristic, 73, 216
 - constant, 10, 149, 154
 - cubic, 537
 - cyclotomic, 396, 484, 535
 - elementary symmetric, 445
 - field, 514
 - generating, 207, 542
 - harmonic, 115
 - homogeneous, 115, 154
 - Legendre, 113
 - minimal, 219, 221, 451
 - monic, 149
 - primitive, 391
 - quartic, 536, 541
 - separable, 471
 - split, 454
 - symmetric, 444, 539
 - weight enumerator, 207
 - zero, 10, 149
- polynomial algebra, 286
- polynomial function, 152, 157

- polynomial ring, 368
- positive, xviii
- positive definite linear map, 106
- positive definite matrix, 106
- positive semidefinite linear map, 106
- positive semidefinite matrix, 106
- power, 124
- presentation, 311
- primary block, 230
- primary decomposition, 227
- Primary Decomposition Theorem, 227
- primary subspace, 227
- prime, 2, 10
 - relatively, 6
- prime element, 386
- prime factorization, 5
- prime field, 147
- prime ideal, 381
- primitive element, 475
- primitive polynomial, 391
 - associated, 393
- primitive root, 484
- Principal Axis Theorem, 251
- principal ideal, 387
- principal ideal domain, 387, 439
- product
 - in an algebra, 277
 - Cartesian, 585
 - in a category, 194
 - difference, 506
 - dot, 89
 - free, 197, 320
 - in a group, 117
 - indexed Cartesian, 587
 - inner, 89
 - Kronecker, 294
 - of matrices, 26
 - n -fold tensor, 277
 - of permutations, 15
 - set-theoretic, 585
 - tensor, 260
 - triple tensor, 274
 - vector, 278
- product functor, 196, 373
- projection, 59, 62, 224
 - orthogonal, 96
- Projection Theorem, 95
- proper subset, 585
- properly contained, 585
- pure tensor, 262
- Pythagorean Theorem, 90
- quadratic number field, 418, 538
- quadratic reciprocity, 494, 539
- quartic polynomial, 536, 541
- quaternion, 127
- quaternion group, 127
- quotient group, 131
- quotient homomorphism, 131, 145
- quotient map, 55
- quotient module, 375
- quotient ring, 145, 371
- quotient space, 55, 129
- R homomorphism, 372
- R module, 372
- R submodule, 374
- radical, 247, 250, 254, 490
- ramification index, 522, 538
- range, 586
- rank
 - of free abelian group, 176
 - of free group, 311
 - of free R module, 399
 - of matrix, 41
- rational canonical form, 243, 443, 444
- rational number, 591
- real number, 592
- real part, 594
- reduced row-echelon form, 20
- reduced word, 322
- reducible element, 386
- refinement, 172, 552
- reflexive, 590, 595
- regular pentagon, 496
- regular polygon, 468, 483, 493
- regular representation, 329, 334, 335, 362
- regular 17-gon, 498
- relation, 585
 - equivalence, 589
 - function as, 585
 - partial ordering as, 595
- relations, 311
- relatively prime, 6
- repetition code, 205
- representation, 160

- contragredient, 362
- irreducible, 330
- left regular, 329, 335, 362
- matrix, 329
- right regular, 329, 334, 335
- unitary, 329
- residue class degree, 522, 538
- restriction, 588
 - of scalars, 274
- Riemann sphere, 159
- Riesz Representation Theorem, 98
- right coset, 128
- right ideal, 375
- right R module, 372
- right radical, 247
- right regular representation, 329, 334, 335
- rigid motion, 158
- ring, 140
 - commutative, 140
 - direct product for, 371
 - division, 143, 370
 - group, 370
 - homomorphism of, 143
 - with identity, 141
 - local, 430
 - matrix, 368
 - Noetherian, 415
 - opposite, 546
 - polynomial, 368
 - quotient of, 145
 - zero, 141
- Rodrigues's formula, 113
- root, 10, 151
 - multiplicity of, 14
 - primitive, 484
- root tower, 490
- rotation, 43
- rotation group, 121
- row-echelon form, 20
- row operation, elementary, 20
- row reduction, 21
- row space, 38
- row vector, 25
- Russell's paradox, 583
- S -tuple, 194
- scalar, 9, 19, 34, 88, 209
- scalar multiplication
 - of matrices, 25
 - in vector space, 34
- scalars
 - extension of, 272, 564, 569
 - restriction of, 274
- Schreier, 173, 345, 553
- Schreier set, 316
- Schroeder–Bernstein Theorem, 600
- Schur orthogonality, 332
- Schur's Lemma, 330, 550
- Schwarz inequality, 91
- Second Isomorphism Theorem, 58, 134, 376
- self-adjoint, 100
- self-dual linear code, 360
- semidirect product of groups, 167, 168
- semisimple left R module, 546
- separable element, 472
- separable extension, 472
- separable polynomial, 471
- sesquilinear, 89
- sesquilinear form, 255
 - Hermitian, 255
 - skew-Hermitian, 255
- set, 583, 584
- set theory
 - von Neumann, 584
 - Zermelo–Fraenkel, 583
- set-theoretic product, 585
- short exact sequence, 576
- sign of permutation, 17
- signature, 252, 257
- significant factor, 318
- similar matrices, 48, 211
- simple algebraic extension, 453
 - existence, 453
 - uniqueness, 454
- simple group, 170
- simple left R module, 546
- simple ordering, 283, 595
- simplicial complex, 574
- simplicial homology, 574
- simply transitive group action, 162
- singleton, 585
- singular matrix, 215
- size, 24
- skew-Hermitian form, 255
- skew-Hermitian sesquilinear form, 255
- skew-symmetric bilinear form, 250

- skew-symmetric matrix, 254
- socle, 580
- solvable group, 488
- span, 35, 36
- spanning set, 36
- special linear group, 121
- special unitary group, 121
- Spectral Theorem, 104
- split exact sequence, 579
- split polynomial, 454
- splitting field, 454
 - existence, 454
 - uniqueness, 455
- square a circle, 465, 468
- square diagram, 193
- square matrix, 24
- stable subspace, 73
- standard basis, 36
- standard ordered basis, 48
- Steinitz, 461
- straightedge and compass, 464
- subcategory, 189
- subfield, 143
- subgroup, 118
 - characteristic, 357
 - commutator, 310
 - index of, 163
 - isotropy, 162
 - normal, 130
 - normalizer of, 186
- submodule, 374
 - generated, 374–375
 - isotypic, 580
- subring, 143
- subset, 585
- subspace, 35
 - cyclic, 241
 - invariant, 73, 330
 - isotropic, 293
 - primary, 227
 - stable, 73
- substitution homomorphism, 150, 155
- sum of two cardinal numbers, 602
- sum of vector subspaces, 58
- superset, 585
- support finite, 378
- supremum, 593
- Sylow p -subgroup, 183
- Sylow Theorems, 183
- Sylvester's Law, 252, 257
- symmetric, 89, 100, 590
 - Hermitian, 89
- symmetric algebra, 281
- symmetric bilinear form, 250
- symmetric group, 120
- symmetric matrix, 250
- symmetric multilinear form, 280
- symmetric polynomial, 444, 539
 - elementary, 445
- symmetrized tensor, 287
- symmetrizer, 287
- symplectic group, 259
- symplectic matrix, 446
- system of linear equations, 23
- system of ordinary differential equations, 244
- Tartaglia, 488
- tensor algebra, 279
- tensor product, 260
 - of abelian groups, 569
 - of modules, 565
 - n -fold, 277
 - of R algebras, 573
 - triple, 274
- tetrahedral group, 365
- Theorem of the Primitive Element, 122, 453, 475, 519
- total ordering, 595
- trace, 514, 539
 - of matrix, 74
- transcendental element, 450
- transcendental π , 468, 510
- transformation
 - linear, 42, 44
 - linear fractional, 159
 - natural, 265
- transitive, 590, 595
- transitive group action, 162
- transpose of matrix, 41
- transposition, 16
- triangle inequality, 595
- triangular form, 216
- triple tensor product, 274
- trisect an angle, 465, 467
- trivial group, 117
- trivial group action, 160

- tuple, 194
- two-sided ideal, 144

- UFD1, 386, 416
- UFD2, 386
- union, 585
 - disjoint, 197
 - indexed, 587
- unique factorization, 5, 14
 - of fractional ideal, 447
 - of ideal, 435
- unique factorization domain, 386
- unit, 1, 10
 - in a ring, 142
- unit vector, 92
- unital, 372
- unitary group, 121
- unitary linear map, 102
- unitary matrix, 102
- unitary matrix representation, 329
- unitary representation, 329
- universal enveloping algebra, 298
- universal mapping property
 - abstract, 198, 295
 - of Clifford algebra, 299
 - of coproduct in a category, 196
 - of direct product of groups, 135, 136
 - of direct product of vector spaces, 64
 - of direct sum of abelian groups, 137–139
 - of direct sum of vector spaces, 60, 64
 - of exterior algebra, 289
 - of field of fractions, 380
 - of free group, 305
 - of free R module, 374
 - of group algebra, 378
 - of integral group ring, 371
 - of localization, 428
 - of product in a category, 194
 - of ring of polynomials, 149, 155–156
 - of $S^n(E)$, 282
 - of symmetric algebra, 282
 - of tensor algebra, 279
 - of tensor product of modules, 566
 - of tensor product of vector spaces, 260–261
 - of universal enveloping algebra, 298
 - of $\bigwedge^n(E)$, 289
 - of Weyl algebra, 300
- unknown, 19

- unordered pair, 585
- upper bound, 593, 595

- Van Kampen Theorem, 320
- Vandermonde determinant, 71, 215
- Vandermonde matrix, 71, 215
- variable, 19
 - corner, 21
 - independent, 21
- vector, 34
 - addition for, 34
 - column, 25
 - cyclic, 242
 - row, 25
 - scalar multiplication for, 34
 - unit, 92
- vector product, 278
- vector space, 34, 157
 - associated graded, 297
 - basis of, 36
 - complex conjugate of, 114
 - dimension of, 37, 78
 - direct product for, 62, 63
 - direct sum for, 59, 60, 61, 62, 64
 - dual of, 50
 - filtered, 297
 - finite-dimensional, 37
 - graded, 297
 - infinite-dimensional, 78
 - left, 547
 - quotient of, 55
- vector subspace, 35
 - invariant, 216
- vector subspaces, sum of, 58
- von Neumann set theory, 584

- weight, 204
- weight enumerator polynomial, 207
- well ordering, 595
- Wentzel, 468
- Weyl algebra, 299
- Weyl basis, 293
- Wilson's Theorem, 199, 534
- word, 304
- word problem, 307
 - for finitely presented groups, 313
 - for free groups, 307
 - for free products, 322

- Zassenhaus, 172, 552
- Zermelo's Well-Ordering Theorem, 462, 599
- Zermelo–Fraenkel set theory, 583
- zero divisor, 143
- zero matrix, 25
- zero polynomial, 10, 149
- zero ring, 141
- Zorn's Lemma, 78, 382, 461, 595