

## Corrections to *Basic Real Analysis*

Page 4, last two lines of proof of Corollary 1.5. Replace with “ $\frac{n+1}{N} < y$ . Thus  $x < \frac{n+1}{N} < y$ , and the rational number  $r = \frac{n+1}{N}$  has the required properties.”

Page 12, line –7 of proof. Change “ $0 \leq k \leq 2^{-n}$ ” to “ $0 \leq k \leq 2^n$ ”.

Page 12, line –2 of proof. Change “ $p_{2^{-n}} = b$ ” to “ $p_{2^n} = b$ ”.

Page 16, three lines before second display. Change “parameter ( $j$  in our case)” to “parameter ( $i$  in our case)”, and change “the variable  $i$ ” to “the variable  $j$ ”.

Page 18, lines 10–12. Change the two sentences

“By (b), choose  $j_1 \geq j_0$  such that  $|b_{ij} - L'_j| < 6\epsilon$  whenever  $i \in \{1, \dots, i_1 - 1\}$  and  $j \geq j_1$ . Then  $j \geq j_1$  implies  $|b_{ij} - L'_j| < 6\epsilon$  for all  $i$  whenever  $j \geq j_1$ ”

to

“By (ii), choose  $i_2 \geq i_1$  such that  $|b_{ij} - L'_j| < 6\epsilon$  whenever  $j \in \{1, \dots, j_0 - 1\}$  and  $i \geq i_2$ . Then  $i \geq i_2$  implies  $|b_{ij} - L'_j| < 6\epsilon$  for all  $j$  whenever  $i \geq i_2$ ”.

Page 20, line 8. Change “ $\sum_{k=m+1}^n$ ” to “ $\sum_{k=m}^n$ ”.

Page 23, first display. Change “ $f$ ” to “ $f_n$ ” in three places.

Page 23, second paragraph, line 3. Change “ $|x_k - y_k| < \delta_{n_k}(\epsilon)$ ” to “ $|x_k - y_k| < 1/k$ ”, and change “ $|f_k(x_k) - f_k(y_k)| \geq \epsilon$ ” to “ $|f_{n_k}(x_k) - f_{n_k}(y_k)| \geq \epsilon$ ”.

Page 23, second paragraph, lines 10–11. Change “ $f_{k_l}$ ” to “ $f_{n_{k_l}}$ ” in 6 places.

Page 23, second paragraph, line 12. Change “ $f_k$ ” to “ $f_{n_k}$ ” in 2 places.

Page 23, line –4. Insert the following sentence after “uniformly Cauchy.”

“Redefining our indices, we may assume that  $n_k = k$  for all  $k$ ”.

Page 23, line –3. Change “exhibiting equicontinuity” to “exhibiting uniform equicontinuity”.

Page 31, line 3 of Lemma 1.28. Change “ $[a, b] -$ ” to “ $[a, b] \cap$ ”.

Page 33, lines 12–16. Change “If  $c \geq 0$ , then ... from Lemma 1.25e” to the following:

“If  $c \geq 0$ , then  $M'_i = cM_i$  and  $m'_i = cm_i$ , so that  $U(P, cf) = cU(P, f)$  and  $L(P, cf) = cL(P, f)$ . If  $c \leq 0$ , then  $M'_i = -cm_i$  and  $m'_i = -cM_i$ , so that  $U(P, cf) = cL(P, f)$  and  $L(P, cf) = cU(P, f)$ . In either case,  $U(P, cf) - L(P, cf) = |c|(U(P, f) - L(P, f))$ , and (b) follows from Lemma 1.25e”.

Page 34, line 4 of example. Change “ $\neq 0 = \lim_n \int f_n dx$ ” to

“ $\neq 0 = \int \lim_n f_n dx$ ”.

Page 37, lines –10 and –8. Change “ $\xi$ ” to “ $\xi_i$ ”.

Page 37, lines –6 and –1. Change “ $M_i M_i^* \Delta y_i$ ” to “ $\sum M_i M_i^* \Delta y_i$ ”.

Page 38, line –7. Change right side from “ $2\epsilon M(B - A)$ ” to “ $2\epsilon M(B - A) + \epsilon$ ”.

Page 38, line –6. Change “ $\epsilon + 3\epsilon M(B - A)$ ” to “ $2\epsilon + 3\epsilon M(B - A)$ ”.

Page 42, line 12. Change “ $c = p + iq$ ” to “ $c = r + is$ ”.

Page 48, line 3. Change “ $\sum_{n=0}^{\infty}$ ” to “ $\sum_{n=0}^N$ ”.

Page 49, line –8. Change “[ $0, +\infty$ )” to “[ $1, +\infty$ )”.

Page 51, line 9 of proof of Corollary 1.45. Change “exactly” to “at least” in order to allow for the fact that two of the complex numbers  $i^n(x + iy)$  with  $0 \leq n \leq 3$  have real and imaginary parts  $\geq 0$  if  $(x, y) = (1, 0)$  or  $(x, y) = (0, 1)$ .

Page 51, line –6. Change “ $(\sin x)/\cos x$ ” to “ $(\sin x)/(\cos x)$ ”.

Page 52, line 2 of Example. Change “of  $f$  by” to “of  $F$  by”.

Page 55, line 2 of Example. Change “ $\log(1 + t)$ ” to “ $\log(1 + x)$ ”.

Page 56, line 1. Change “complex” to “numerical”.

Page 56, line 3. Change “ $\mathbb{C}$ ” to “ $\mathbb{R}$ ”.

Page 56, line 9 of Example. Change “ $s_k = \sum_{k=1}^{\infty}$ ” to “ $s_n = \sum_{k=1}^n$ ”.

Page 58, line 4 of Section 9. Change “on a bounded interval” to “on a bounded interval  $[a, b]$ ”.

Page 59, line 2 of proof. Change “ $\int_{-1/\sqrt{n}}^{1/\sqrt{n}} (1 - x^2) dx$ ” to “ $\int_{-1/\sqrt{n}}^{1/\sqrt{n}} (1 - x^2)^n dx$ ”.

Page 59, line 1 of caption of Figure 1.1. Change “ $c_n \int_{-1}^1 (1 - x^2)^n dx$ ” to “ $c_n(1 - x^2)^n$ ”.

Page 52, line 2, change “even” to “odd”.

Page 52, line 3, change “odd” to “even”.

Page 65, line –1. Change “ $\sum_{n=1}^N (\sin nx)/n$ ” to “ $\sum_{k=1}^n (\sin kx)/k$ ”.

Page 70, line 5 of Theorem 1.57. Change “ $s_n$ ” to “ $s_N$ ”.

Page 70, line –8. Change “ $\int_{-\pi}^{\pi} D_N(x) dx = 1$ ” to “ $\frac{1}{2\pi} \int_{-\pi}^{\pi} D_N(x) dx = 1$ ”.

Page 72, condition (iii). Change “as  $n$  tends to infinity” to “as  $N$  tends to infinity”.

Page 73, line –5 of proof of Theorem 1.59. Change “use of (i) shows” to “use of (i) and (ii) shows”.

Page 75, line before Lemma 1.63. Change “ $\frac{M'}{2\pi}$ ” to “ $M'$ ”.

Page 76, line –12. Change “ $g(t) \geq f(t)$  implies  $I \leq g(t) \leq f(t) \leq S$ ” to “ $g(t) \geq f(t)$  implies  $I \leq f(t) \leq g(t) \leq S$ ”.

Page 76, line –9. Change “ $|f + g|$ ” to “ $|f - g|$ ”.

Page 76, line –8. Change “ $\sup_{t \in [x_{i-1}, x_i]} |f(t) + g(t)|$ ” to “ $\sup_{t \in [x_{i-1}, x_i]} |f(t) - g(t)|$ ”.

Page 77, line –8. Change “ $\sin x$ ” to “ $\sin nx$ ”, and change “ $\cos x$ ” to “ $\cos nx$ ”.

Page 78, Problem 1. This problem needs an extra step so as to be manageable as the first problem in the book. Therefore change it to read as follows:

“(a) Derive the archimedean property (Corollary 1.3) from the convergence of bounded monotone increasing sequences (Corollary 1.6).

“(b) Using (a), derive the least-upper bound property (Theorem 1.1) from the convergence of bounded monotone sequences (Corollary 1.6).”

Page 79, Problem 12b. Change “ $\int_1^x$ ” to “ $\int_0^x$ ”.

Page 79, Problem 13. Change “ $0 < x < \pi$ ” to “ $-1 < x < 1$ ”, and change “ $0 < x < \pi/2$ ” to “ $-1 < x < 1$ ”.

Page 79, Problem 19, line 4. Change “for all  $c$ ” to “for all  $x$ ”.

Page 80, Problem 21, last line. Change “ $g'(x) = 0$ ” to “ $g'(0) = 0$ ”.

Page 80, last line. Change “for  $k \geq 0$ ” to “for  $k \geq 1$ ”.

Page 81, Problem 27, line 1. Change “ $s_n(f; x)$ ” to “ $s_n(f; \theta)$ ”.

Page 84, line -1. Change “ $b = y - z$ ” to “ $b = z - y$ ”.

Page 90, line 2 of proof of Lemma 2.2. Change “ $0 \leq |x - \|y\|^{-2}(x, y)y|^2$ ” to “ $0 \leq \|x - \|y\|^{-2}(x, y)y\|^2$ ”.

Page 93, line 9. Change “**limit point** of  $X$ ” to “**limit point** of  $A$ ”.

Page 96, line -2. Change “for fixed  $x$  is continuous in  $y$ ” to “for fixed  $y$  is continuous in  $x$ ”.

Page 99, line 10. Change displayed line to read

$$|f_n(s)| \leq |f_n(s) - f(s)| + |f(s) - f_N(s)| + |f_N(s)| \leq 2 + |f_N(s)|$$

Page 99, line 11. Change “+1” to “+2”.

Page 107, line 2. Change “over” to “open”.

Page 107, line -4. Change “ $L^2$  into  $L^1$ ” to “ $\mathcal{R}[-\pi, \pi]$  relative to  $L^2$  into  $\mathcal{R}[-\pi, \pi]$  relative to  $L^1$ ”.

Page 110, proof of Corollary 2.37, line 5. Change “convergent subsequence” to “convergent subsequence in  $\mathbb{R}^n$ . By Corollary 2.23 the limit is in  $C$ ”.

Page 112, line -12. Change “ $|Q(z)| \leq$ ” to “ $|Q(re^{i\theta})| \leq$ ”.

Page 114, line -6 of proof of Theorem 2.46. Change “ $2^{-m}$ ” to “ $1/m$ ”.

Page 114, line -5 of proof of Theorem 2.46. Change “ $2^{-m}$ ” to “ $1/m$ ”.

Page 115, line -1. Change “ $[c, u)$ ” to “ $[c, x)$ ”.

Page 116, line 1 of proof of Proposition 2.49. Change “be metric spaces” to “be metric spaces with  $X$  connected”.

Page 119, line -3. Change “of a function” to “of a function on a metric space  $U$ ”.

Page 120, statement of Lemma 2.55. The hypothesis “complete” is not needed as long as completeness is not assumed in the definition of “oscillation”. The metric space may therefore be taken to be  $(U, d)$  instead of  $(X, d)$ .

Page 120, proof of Theorem 2.54. This proof is correct as written but can be simplified. Theorem 2.53 is needed only when invoked the second time, not the first. The simplification is to change the first three lines of the proof to read “In view of Lemma 2.55 and the fact that  $U$  is open, it is enough to prove for each  $\epsilon > 0$  that  $\{x \in U \mid \text{osc}_f(x) \geq \epsilon\}$  does not contain a nonempty open subset” and to change on lines  $-8$  and  $-7$  the words “Again by Theorem 2.53 and the remark after it, some” to read “Since  $V$  is open in a complete metric space, Theorem 2.53 and the remark after it show that some”.

Page 121, 6 lines before Theorem 2.56. Change “ $t \in [a, b]$ ” to “ $t \in S$ ”.

Page 122, displayed definition of  $\delta_n(\epsilon)$ . Change “ $|f(x) - f(y)|$ ” to “ $|f_n(x) - f_n(y)|$ ”.

Page 122, paragraph “Thus we are to prove”, line 3. Change “ $\delta_{n_k}(\epsilon)$ ” to “ $1/k$ ”, and change “ $f_k$ ” to “ $f_{n_k}$ ” twice.

Page 122, lines  $-9$  and  $-8$ . Change “ $f_{k_l}$ ” to “ $f_{n_{k_l}}$ ” six times.

Page 122, line  $-7$ . Change “ $f_k$ ” to “ $f_{n_k}$ ” twice.

Page 123, line 1. Insert the following sentence after “uniformly Cauchy.” “Redefining our indices, we may assume that  $n_k = k$  for all  $k$ ”.

Page 126, line 11. Change “dense in  $\mathcal{A}_{\mathbb{R}}$ ” to “ $C(S, \mathbb{C})$ ”.

Page 126, Example 3, line 3. Change “ $S^{m-1}$ ” to “ $S^{n-1}$ ”.

Page 128, line 6. Change “relation  $\sim$  on  $X$ ” to “relation  $\sim$  on  $\text{Cauchy}(X)$ ”.

Page 130, Problem 2. Change “an open set that is at most countable” to “a countable open set”. (This change is not logically necessary but may help avoid confusion, since “countable” and “at most countable” mean the same thing in this book.)

Page 132, Problem 21, line 5. Change “ $\mathcal{A}^{\text{cl}}$ ” to “ $\mathcal{A}$ ”.

Page 136, line  $-7$ . Change “ $\inf_{x \in \mathbb{F}^n}$ ” to “ $\inf_{M \geq 0}$ ”.

Page 136, line  $-5$ . Change “ $|T(cx)| = |c||x|$ ” to “ $|T(cx)| = |c||T(x)|$ ”.

Page 138, line  $-1$ . Change “ $\left(\sum_{j=1}^n |x \cdot e_j|\right)$ ” to “ $\left(\sum_{j=1}^n |x \cdot e_j|^2\right)$ ”.

Page 141, line 15. Change “ $(h_1, \dots, h_m)$ ” to “ $(h_1, \dots, h_n)$ ”.

Page 143, line 12. Change “ $(t, b + h)$ ” to “ $(t, b + k)$ ”.

Page 148, display in first paragraph of proof of Proposition 3.12. Change “ $M^n$ ” to “ $M^N$ ” at the right end.

Page 156, line  $-3$ . For clarity, insert “ $\varphi : \mathbb{R}^{n+m} \rightarrow \mathbb{R}^{n+m}$ ” after the word “function”.

Page 157, after large displayed matrix. For clarity, insert the sentence “The upper left block of  $\varphi'(a, b)$  is the  $n$ -by- $n$  identity matrix, and the lower right block is of size  $m$ -by- $m$ .”

Page 171, item (3), lines 5-6. Change “discontinuities . . . as a function of  $x$ ” to “discontinuities for each fixed  $x$ , and  $(fI_U)_x(y)$  is therefore Riemann integrable as a function of  $y$ ”.

Page 171, line -3 of text. Change “[ $a, b$ ]” to “[ $A, B$ ]”.

Page 176, line 6. Change “ $\psi'(0)^{-1}$ ” to “ $\psi'_j(0)^{-1}$ ”.

Page 177, middle of page. Change the sentence “By the chain rule . . . nonsingular” to

“By the chain rule (Theorem 3.10), we have  $\eta'(x) = \varphi'(x)(\psi^{-1})'(y)$ , and this is nonsingular for  $x$  close enough to 0”.

Page 234, statement of Proposition 5.1a. Change “ $\bigcup_{n=1}^N E_n$ ” to “ $\bigcup_{n=1}^N E_n$ ”.

Page 235, line -10. Change “nonzero constant functions” to “constant functions”.

Page 237, line 3. Change “ $\mathbb{R}$ ” to “ $\mathcal{R}$ ”.

Page 237, line -17. Change “more than way” to “more than one way”.

Page 238, line -7. Change “[ $-\infty, -c$ ]” to “[ $-\infty, c$ ]”.

Page 238, line -5. Change “[ $-c, +\infty$ ]” to “[ $c, +\infty$ ]”.

Page 239, line 5. Change “Problem 11 at the end” to “Problem 33 at the end”.

Page 244, line 9. For clarity, change “absolutely convergent” to “absolutely convergent; this is a stronger condition since the sum has to be in  $\mathbb{R}$ ”.

Page 250, line 13. Change “pointwise  $f$ ” to “pointwise limit  $f$ ”.

Page 263, line -4. Change “5.1f” to “5.1e”.

Page 276, line 6. Change “shows that” to “shows for each standard basis vector  $u_j$  that”.

Page 277, line -1. Change “ $\sum_{j=1}^n$ ” to “ $\sum_{j=1}^m$ ”.

Page 278, line -8. Change “integrable” to “measurable”.

Page 285, line 4 of Remarks. Change “an almost-everywhere convergent subsequence” to “a subsequence that converges pointwise almost everywhere”.

Page 285, lines -8 and -7. Change so that these lines read:

“subsequence  $\{f_{n_k}\}$  has the property that  $\|f_{n_k} - f_{n_l}\| \leq 2^{-\min\{k,l\}}$  for all  $k \geq 1$  and  $l \geq 1$ . This proves the first conclusion of the theorem.”

Page 286, lines 2 and 4. Change “ $(\int_X g_n d\mu)^{1/p}$ ” to “ $(\int_X g_n^p d\mu)^{1/p}$ ”.

Page 286, line 7. Change “redefining the functions  $f_k$ ” to “redefining the functions  $f_k$  as 0”.

Page 286, line -8. Change “The redefined functions are” to “The sequence of redefined functions is”.

Page 287, line 1. Change “Section 9” to “Section 8”.

Page 289, line 3. Change “ $= \|F\|_\infty$ ” to “ $\leq \|F\|_\infty$ ”.

Page 290, line -3. Change “exists a Lebesgue” to “exists a bounded Lebesgue”.

Page 300, line 25. Delete “of  $C$ ”.

Page 301, line –3. Change “Proposition 5.55d” to “Propositions 5.55c and 5.55d”.

Page 302, line 1. Change “ $n$ -tuple” to “ $N$ -tuple”.

Page 313, line –2. Change “ $= 2\eta$ ” to “ $\leq 2\eta$ ”.

Page 314, line –1. Change “ $F_{n_0}$ ” to “ $\emptyset$ ”.

Page 317, line = 17. Change “ $|g(x) = h(x)|$ ” to “ $|g(x) - h(x)|$ ”.

Page 317, line –15. Change “is a vector subspace” to “contains a vector subspace”.  
(This change is for clarity only; the closure actually is a vector subspace, but it is not necessary to prove this fact.)

Page 334, line 13. Change “with be” to “will be”.

Page 339, line 1. Change “ $F_N(x)$ ” to “ $f_N(x)$ ”.

Page 363, line 3. Change “ $F'(k)$ ” to “ $F'_k(x)$ ”.

Page 365, line 6. Change “ $f'(t)$ ” to “ $f(t)$ ”.

Page 366, second display on page. Change conditions at right side and one summation index on second line so that the display reads:

$$S(x) = \begin{cases} \sum_{x_0 \leq x_n \leq x} c_n + \sum_{x_0 \leq x_n < x} d_n & \text{if } x \geq x_0, \\ -\sum_{x < x_n \leq x_0} c_n - \sum_{x \leq x_n \leq x_0} d_n & \text{if } x \leq x_0, \end{cases}$$

Page 368, line 5 of proof of Theorem 7.9. Change “The function  $f$  is the derivative of  $F$ ” to “The function  $f$  can be taken as the derivative of  $F$ ”.

Pages 368–369, Corollary 7.10 and Proposition 7.11. It is advisable to change the text’s notation here, writing “ $\mu_{cs}$ ” in place of “ $\mu_s$ ”. Then on page 420,  $\mu_s$  will be the sum  $\mu_s = \mu_{cs} + \mu_d$ , and there will be no confusion about the meaning of  $\mu_s$  in Section IX.4.

Page 370, line –2 of Section 2. Change

“By Corollary 7.4,  $g = F' = f$ . Hence  $F(b) - F(a) = \int_a^b f(t) dt$ ” to

“By Corollary 7.4,  $g = F' = f$  almost everywhere. Hence  $F(b) - F(a) = \int_a^b g(t) dt = \int_a^b f(t) dt$ ”.

Page 383, line 5 of proof of Theorem 8.9. Change “carried to  $L^2$ ” to “carried to  $f$ ”.

Page 388, line –4. Change “and  $\mathcal{F}(Af_j) \rightarrow \mathcal{F}(Af)$ ” to “and  $\mathcal{F}(f_j) \rightarrow \mathcal{F}(f)$  and  $\mathcal{F}(Af_j) \rightarrow \mathcal{F}(Af)$ ”.

Page 389, line –1. Change “ $\frac{1}{2L} \int_{-L}^L$ ” to “ $\frac{1}{L} \int_{-L/2}^{L/2}$ ”.

Page 392, first display on page. Include the term “ $+\frac{\partial^2}{\partial t^2}$ ” on the right side.

Page 417, line –3. Change “ $\tau_{t+h}f - \tau_t$ ” to “ $\tau_{t+h}f - \tau_t f$ ”.

Page 420, first paragraph of Section 4. If the notation has been changed in Corollary 7.10 and Proposition 7.11 in the way suggested above, then it can now be explained that  $\mu_s = \mu_{cs} + \mu_d$ .

Page 424, line -7. Change “ $\sigma$ -finite” to “ $\sigma$ -finite and  $1 \leq p \leq \infty$ ” for clarity.

Page 452, line 20. Change “Thus  $c$  is in  $S(x_0)$ , and we” to “Since  $c$  is in  $S(x_0)$ , we”.

Page 460, line -16. Change “covers  $X$ ” to “covers  $X_s$ ”.

Page 466, line -5. Change “limit” to “limits”.

Page 469, line -13. Change “ $\mathcal{C} \times D$ ” to “ $E = \mathcal{C} \times D$ ” for clarity.

Page 469, line -8. Change “domain value  $(A, \beta)$ ” to “member  $(X, \beta)$  of  $E = \mathcal{C} \times D$ ”.

Page 472, line 9. Change “ $X/\sim$ , and the property of” to “ $X/\sim$ . Property (ii) of”.

Page 476, line -12. Change “distinct points of  $x$ ” to “distinct points of  $X$ ”.

Page 478, line -17. Change “closure” to “closed set”.

Page 478, line -5. Change “contain all its limit points” to “have no limit point in  $C$ ”.

Page 478, line -2. Change “Thus  $S$  has a limit point  $f$  not in  $S$ ” to “Thus  $S$  has a limit point  $f$  in  $C$ ”.

Page 480, line 2. Change “ $\sup_{y \in S}$ ” to “ $\sup_{y \in X}$ ”.

Page 481, Problem 7b, line 2. Change “ $\sup_{m \in D, m \geq n}$ ” to “ $\sup_{m \in D, m \geq n} t_m$ ”.

Page 481, Problem 7b, line 3. Change “ $\limsup_n t_n \geq t$ ” to “ $\limsup_n t_n \leq t$ ”.

Page 488, line 23. For the words “elementary sets”, use boldface instead of quotation marks.

Page 488, line -3. in the subscript, change “ $0 \leq f \leq I_K$ ” to “ $I_K \leq f$ ”.

Page 491, line 2 of Lemma 11.2. Change “of  $V$ ” to “ $V$  of  $X$ ”, and change “ $L \subseteq K \subseteq V$ ” to “ $L \subseteq K$ ”.

Page 493, line 19. Change “10.23” to “10.22”.

Page 495, line before display of  $f$  and  $g$  at the bottom. Change “having with values” to “having values”.

Page 498, line -11. Change “ $L \cup L' \subseteq K \cup L'$ ” to “ $L \cap L' \subseteq K \cap L'$ ”.

Page 499, first display. Change “ $i_{k+1}$ ” to “ $i_k$ ” in two places.

Page 507, lines -7 and -6. Change “ $\mathbb{R}^N$ ” to “ $X$ ” in three places.

Page 508, lines 5 and 6. Change “ $\mathbb{R}^N$ ” to “ $X$ ” in two places.

Page 511, line 4. Change “ $f(0)$ ” to “ $\ell(0)$ ”.

Page 514, line -5. Change “ $-N$ ” to “ $-1$ ”.

Page 516, proof of Theorem 11.28. replace the third paragraph of the proof with the following:

“We shall define disjoint open sets  $U_i$  with  $K_i \subseteq U_i$  for all  $i$ . We do so by constructing inductively on  $i$  for  $1 \leq i \leq n$  disjoint open sets  $U_1, \dots, U_i, V_i$  such that  $K_j \subseteq U_j$  for  $j \leq i$  and  $K_{i+1} \cup \dots \cup K_n \subseteq V_i$ . Taking  $i = n$  produces the required open sets  $U_1, \dots, U_n$ . For  $i = 1$ , Corollary 10.22 produces disjoint open sets  $U_1$  and  $V_1$  with  $K_1 \subseteq U_1$  and  $K_2 \cup \dots \cup K_n \subseteq V_1$ . Suppose that the construction has been carried out for stage  $i$  with  $1 \leq i < n$ . Using Corollary 10.22 for the locally compact Hausdorff space  $V_i$ , we choose disjoint open sets  $U_{i+1}$  and  $V_{i+1}$  of  $V_i$  with  $K_{i+1} \subseteq U_{i+1}$  and  $K_{i+2} \cup \dots \cup K_n \subseteq V_{i+1}$ . Then the disjoint open sets  $U_1, \dots, U_{i+1}, V_{i+1}$  have  $K_j \subseteq U_j$  for  $j \leq i+1$  and  $K_{i+2} \cup \dots \cup K_n \subseteq V_{i+1}$ . The inductive step is complete, and we have constructed disjoint open sets  $U_1, \dots, U_n$  with  $K_i \subseteq U_i$  for all  $i$ .”

Page 541, line 11. Change “ $X = L^1(S, \mu)$ ” to “the dual  $X^*$  of  $X = L^1(S, \mu)$ ”.

Page 556, lines 8–9. Change “whenever  $y \in B$  and  $z \in B$  are such that  $(x, y)$  and  $(y, z)$  are in  $f$ , then  $y = z$ ” to “there is exactly one  $y \in B$  such that  $(x, y)$  is in  $f$ ”.

Page 557, lines 10–11. Change “range an unnamed set  $T$ , and  $\bigcup_{x \in S} A_x$  is the set of all  $y \in T$  such that  $y$  is in  $A_x$  for some  $x \in S$ ” to “range the set of all subsets of an unnamed set  $T$ , and  $\bigcup_{x \in S} A_x$  is the set of all  $y \in T$  such that  $y$  is in  $A_x$  for some  $x \in S$ ”.

Page 579, line –5. Change “ $A \mapsto \{A\}$ ” to “ $x \mapsto \{x\}$ ”.

Page 581, number 1, line 1. Change “Let  $E$ ” to “The derivation for (a) is similar to the proof of Corollary 1.3. For (b), let  $E$ ”.

Page 581, number 1, line 8. Add at the end: “Doing so makes uses of (a).”

Page 583, number 13, lines 3 and 5. Change “ $(0, \pi/2)$ ” to “ $(-1, 1)$ ”.

Page 589, number 21, line 1. Change “If  $x$  and  $y$  are given” to “If  $x$  and  $y$  are given with  $x \neq y$ ”.

Page 599, number 1 of Chapter V, line 1. Change “ $0 \leq k \leq n$ ” to “ $1 \leq k \leq n$ ”.

Page 600, number 13. Replace with the following:

“13. Let  $\mathcal{B}$  be the set of all subsets  $E$  of  $X \times X$  such that there exists a set  $S_E$  in  $\mathcal{A}$  with  $E_x = S_E$  for all but countably many  $x$  in  $X$ . Every rectangle in  $\mathcal{A} \times \mathcal{A}$  is in  $\mathcal{B}$ . In fact, there are two kinds of sets to check, sets  $E = A \times B$  with  $A$  countable, in which case  $E_x$  is empty except for  $x$  in the countable set  $A$ , and sets  $A^c \times B$  with  $A$  countable, in which case  $E_x = B$  except for  $x$  in  $A$ . Also  $\mathcal{B}$  is a  $\sigma$ -algebra. In fact, let sets  $E_n$  in  $\mathcal{B}$  be given with associated sets  $S_{E_n}$ . Then  $(\bigcup E_n)_x = \bigcup ((E_n)_x) = \bigcup S_{E_n}$  except when  $x$  is in the countable exceptional set for some  $n$ ; also if  $E$  and  $S_E$  are given, then  $(E^c)_x = (E_x)^c = (S_E)^c$  except when  $x$  lies in the exceptional set for  $E$ . Finally the diagonal  $D$  is not in  $\mathcal{B}$  and therefore cannot be in  $\mathcal{A} \times \mathcal{A}$ . In fact,  $D_x = \{x\}$  for each  $x$ , and there can be at most one  $x$  with  $D_x = S_D$ , whatever  $S_D$  is.”

Page 607, line 5. Change “ $VI$ ” to “ $|VI|$ ”.