

**MAT 205 SPRING 2000
MIDTERM I**

NAME (first and last; readable):

SSN:

**THERE ARE FOUR PROBLEMS PLUS ONE EXTRA CREDIT PROBLEM
SHOW YOUR WORK!!!**

1) Let

$$\mathbf{a} = \langle 2, 1, -1 \rangle, \quad \mathbf{b} = \langle 1, -2, 3 \rangle, \quad \mathbf{c} = \langle 1, 0, -2 \rangle .$$

A) Compute $\mathbf{b} \cdot (\mathbf{a} + \mathbf{c})$.

B) Let $\mathbf{d} = \langle 2, m, 1 \rangle$ be a vector varying with the parameter m . Find the values of m , if any, that make \mathbf{d} and \mathbf{a} perpendicular.

NAME (first and last; readable):

SSN:

2) Let

$$P = (-1, 1, -1), \quad Q = (1, -1, 2), \quad R = (4, 0, 3)$$

be three points in space.

Find the plane passing through P , Q and R .

NAME (first and last; readable):

SSN:

3) Sketch the surface

$$y = \sqrt{x^2 + z^2}.$$

Give also a brief explanation *in words* as to why it looks like you have drawn it.

NAME (first and last; readable):

SSN:

4) A particle is moving in space with position vector $\mathbf{r}(t)$.
The acceleration is

$$\mathbf{a}(t) = \mathbf{i} - 2\mathbf{k}.$$

The velocity at time $t = 0$ is

$$\mathbf{v}(0) = \mathbf{i} - \mathbf{j} + \mathbf{k}.$$

The position at time $t = 0$ is

$$\mathbf{r}(0) = 2\mathbf{i} - 2\mathbf{k}.$$

Find the position vector $\mathbf{r}(2)$ at time $t = 2$.

NAME (first and last; readable):

SSN:

THIS IS FOR EXTRA CREDIT. ATTEMPT THE FIRST FOUR PROBLEMS FIRST.

5) Let \mathbf{a} and \mathbf{b} be non zero vectors.

Show that the vector

$$\mathbf{b} - \text{proj}_{\mathbf{a}} \mathbf{b}$$

is orthogonal to the vector \mathbf{a} .